

INDEX MAPS.

T. 23N, R. 1E. 2nd Mer.

	212	213	213	213	213	214	
216	6	221 5	225 4	230 3	234 2	1	212
	220	225	229	234	236	239	
216	7	220 8	225 9	229 10	233 11	12	211
	219	224	229	233	235	238	
216	18	219 17	224 16	228 15	232 14	13	211
	219	223	228	232	235	237	
215	19	218 20	223 21	227 22	232 23	24	210
	218	222	227	231	235	237	
215	30	217 29	222 28	226 27	231 26	25	210
	217	221	226	230	234	236	
215	31	217 32	221 33	226 34	230 35	36	209
	207	207	207	208	208	208	

T. 24N, R. 1E. 2nd Mer.

	249	249	249	250	250	251	
253	6	257 5	260 4	264 3	269 2	1	248
	256	260	264	268	269	272	
253	7	256 8	259 9	263 10	268 11	12	247
	256	259	263	267	268	272	
252	18	255 17	259 16	263 15	267 14	13	247
	255	259	262	267	267	271	
252	19	255 20	258 21	262 22	266 23	24	246
	254	258	262	266	266	270	
252	30	254 29	258 28	261 27	265 26	25	246
	254	257	261	265	265	270	
251	31	253 32	257 33	261 34	264 35	36	245
	243	243	243	244	244	244	

The figures on the lines refer to the page.

Township Lines.

Ch. 1. 1. 1. South Boundary, var. $5^{\circ}45'$ E.
East on the S. Boundary of Sec. 31

- 1.83 a Cherry 12 in. dia.
40.00 set of sec. post from which
an Ironwood 10 in. dia. bears $N30^{\circ}W22$ lbs. dist. 8
a Hickory 18 " " " $S21^{\circ}E50$ " "
This half mile swampy
64.75 an Oak 36 in. dia.
80.00 set post cor. of sec. 31 & 32 from which
a W. Walnut 10 in. dia. bears $S25^{\circ}E42$ lbs. dist. 8
a Buckeye 10 " " " $N65^{\circ}E46$ " "
This mile wet land.

East on the S. Boundary of Sec. 32

- 2.00 a Branch 20 lbs. wide course NE
40.00 set of sec. post from which
an Ash 10 in. dia. bears $S60^{\circ}E8$ lbs. dist. 8
a Sugar 18 " " " $N50^{\circ}E22$ " "
55.32 an Ash 18 " "
80.00 set post cor. of sec. 32 & 33 from which
a Beech 8 in. dia. bears $N80^{\circ}E10$ lbs. dist. 8
a Do 10 " " " $N5^{\circ}W23$ " "
This mile rolling, timber Beech, Poplar, Sugar,
Y. Upr. Spruce

East on the S. Boundary of Sec. 33

- 9.00 a Sugar 24 in. dia.
40.00 set of sec. post from which
an Ash 10 in. dia. bears $N32^{\circ}E11$ lbs. dist. 8
a Do 15 " " " $S15^{\circ}E33$ " "
49.83 a Hickory 18 " "
80.00 set post cor. of sec. 33 & 34 from which
an Elm 18 in. dia. bears $N38^{\circ}E20$ lbs. dist. 8
a Maple 24 " " " $N2^{\circ}W19$ " "
Flat wet land, timber Sugar, Maple, Beech.

T. 24 N., R. 1 E., T. 2^d Mer. Ind.

Chas. Sp.

Brushy.

East on the S. Boundary of Sec. 34

0.23 a W. Oak 20 in. dia.

40.00 a Poplar 3 " " gr. sec. corner tree

67.50 a Hickory 26 in. dia.

80.00 set post cor. of sect. 34 & 35 from which
a Sugar 11 in. dia. bears N 35° W 11 W. dist. 8

a Do 18 " " " S 74° W 28 " "

This mile level, timber Beech, Oak, Poplar &
Uls. Spice

East on the S. Boundary of Sec. 35

20.24 a Poplar 24 in. dia.

40.00 set gr. sec. post from which

a Hickory 10 in. dia. bears N 68° E 3 W. dist. 8

a Beech 10 " " " S 58° E 6 " "

50.30 a W. Oak 42 " "

72.07 Intersect N. Boundary of Miami Reservation

set post from which

a Beech 10 in. dia. bears N 28° W 36 W. dist. 8

an Ironwood 10 " " " S 16° W 36 " "

Land level, timber Beech, Sugar, Poplar,
Uls. Spice. May 25, 1821

Henry Bryan, D. S.

East on Random from post in Indian Boundary,
corner of Sect. 35 & 36 Var. 45° 45' E.

4.22 a W. Oak 30 in. dia.

12.03 a Beech 20 " "

20.00 Road to Burlington, NW

28.43 a W. Oak 34 in. dia.

38.09 a Beech 12 " "

51.00 descend Bluff 30 feet high

52.69 a Sugar 26 in. dia.

52.75 a Spring branch 2 W. wide course N.

T. 24 N., R. 1 E. 2^d Mer. Ind.

Ch. 18.

- 55.48 a Beech 12 in. dia.
 64.58 a B. Ark 8 " "
 71.40 a Beech 24 " "
 73.50 West side of field.
 79.00 Intersect line between Ranges 1 & 2 E. 514 lbs.
 S. of temp. post - where set post cor. of T. 23 & 24
 N., R. 1 & 2 E. from which
 a Sugar 3 in. dia. bears S 22° W 14 lbs. dist. 2
 a Buckeye 10 " " " N 46° E 68 " "
 Rolling first catclaud. Timber Oak, Ark, Wal-
 nut, Sugar & Upr. Spice, Pawpaw &c.

West Corrected the S. Boundary of Sec. 36

- 6.00 a Beech 24 in. dia.
 13.42 a B. Ark 8 " "
 22.52 a Beech 12 " "
 25.31 a Sugar 26 " "
 40.00 Set of sec. post from which
 a Poplar 12 in. dia. bears N 42° E 6 lbs. dist. 2
 a Beech 12 " " " N 44° W 20 " "
 79.00 to sec. cor. July 23. 1838

East Boundary. Var. 4th 56. E.

North on the E. Boundary of Sec. 36

- 8.00 N. side of field
 14.25 a Pin Oak 19 in. dia.
 17.31 a B. Walnut 32 " "
 23.66 enter N. fork of Wildcat Creek 110 lbs. wide course W.
 24.40 leave same, foot of bluff
 32.56 a Sugar 10 in. dia.
 33.20 over Run 6 lbs. wide course W
 40.00 Set of sec. post from which
 a Beech 26 in. dia. bears S 60° W 59 lbs. dist. 2
 a Do 15 " " " N 43° W 59 " "
 44.60 an Indian trail, S E
 45.50 a Sugar 12 in. dia.

T. 24 N., R. 1 E. 2^d Mer. Ind.

Chs. Sh.

54.71 a Beech 19 in. dia.

74.07 over Run 2 hrs. wide course NW. down same

75.95 leave Do

77.75 a Spring

80.00 set post cor. of sec. 25 & 36 from which

a Beech 9 in. dia. bears S 44° W 25 hrs. dist. &

a Do 12 " " " N 42° W 10 " "

Level T. state land to creek, balance first rate
but broken. Timber Oak, Ark, Sugar, Walnut
& Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 25

8.00 enter Creek 20 hrs. wide course SW

8.25 leave same

12.50 Indian trail, SW

16.73 a Beech 30 in. dia.

26.23 a Poplar 40 " "

36.00 a W. Elm 30 " "

40.00 set g. sec. post from which

a Poplar 42 in. dia. bears N 82° W 16 hrs. dist. &

a Beech 11 " " " S 9° W 19 " "

42.02 a Do 20 " "

73.26 a Do 23 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 22 in. dia. bears N 50° W 12 hrs. dist. &

a Do 21 " " " S 44° W 44 " "

First half mile within T. state land, last 1/2
mile level T. state. Timber Beech, Ark,
Elm, Sugar, Walnut & Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 24

19.04 a Beech 18 in. dia.

29.90 a Do 18 " "

40.00 a Do 17 " " g. sec. corner tree

44.20 a W. Elm 17 " "

55.45 a Sugar 11 " "

T. 24 N., R. 1 E. S. Mer. Ind.?

Ch. 1st.

67.50 enter Swamp, SE
 72.09 a Poplar 30 in. dia. & leave Swamp
 73.50 enter Swamp, SW
 78.00 leave "
 80.00 sit part cor. of sec. 13 & 24 from which
 an Ironwood 5 in. dia. bears S 31° W 9 lbs. dist. 8
 a Beech 10 " " " N 35° W 43 " "
 Land level 3^d rate land, timber Oak, Beech,
 Elm, Ash & Ulp. Spice, Pickly Ash &

North on the E. Boundary of Sec. 13

8.00 enter Swamp, SW
 14.40 a Gray Ash 19 in. dia.
 23.39 a Jack Oak 23 " "
 35.50 leave Swamp
 38.89 a W. Elm 40 in. dia.
 40.00 sit q. sec. part from which
 a Beech 10 in. dia. bears N 27° W 36 lbs. dist. 2
 a Hornbeam 4 " " " S 98° W 21 " "
 55.50 a Spring E. 12
 56.57 a Gray Ash 30 in. dia.
 68.00 a R. Oak 26 " "
 69.65 a B. Walnut 36 " "
 80.00 sit part cor. of sec. 12 & 13 from which
 a Beech 19 in. dia. bears S 27° W 21 lbs. dist. 8
 a Do 22 " " " N 36° W 53 " "
 First half mile flat wet land, 3^d rate.
 Last half mile gently rolling rich 2^d rate
 land, timber Beech, Ash, Sugar, Elm,
 Walnut & Ulp. Spice & Aug. 18. 1838

North on the E. Boundary of Sec. 12

0.88 a W. Oak 30 in. dia.
 5.22 a Beech 20 " "
 18.25 enter S. fork of Deer Creek 45 lbs. wide course NW
 22.25 over Do. 50 lbs. wide course NE.

T. 24 N., R. 1 E. 2^d. Mer. Ind.

Ch. Cr.

39.85 over Spring run 2 Mts. wide course E

40.00 set q. sec. post from which

a Basswood 4 in. dia. leans S 87° W 30 Mts. dist. 8

a Beech 9 " " " S 21° W 40 " "

44.24 a Do 18 " "

50.50 a Sugar 22 " "

73.17 a Poplar 50 " "

80.00 set post cor. of sec. 10 & 12 from which

a Beech 18 in. dia. leans S 23 1/2° W 40 Mts. dist. 8

a Sugar 10 " " " N 66° W 69 " "

Gently rolling T. State land. Timber Beech,
Ash, Sugar, Poplar, Oak, Elm, Walnut, Buck-
eye & Hlp. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 1

0.10 enter Deer Creek 50 Mts. wide course NW

0.60 leave Do

2.75 enter same 50 Mts. wide course NE

3.40 leave it

11.42 enter same 30 Mts. wide course W

11.72 leave it

21.55 a Beech 20 in. dia.

26.00 enter Swamp, SE

29.50 leave it.

34.50 enter Creek 40 Mts. wide course NW

35.00 leave same

35.70 over Bayou 20 Mts. wide course W

37.04 alprag Ark 30 in. dia.

40.00 set q. sec. post from which

a Hornbeam 4 in. dia. leans N 81° W 7 Mts. dist. 8

a Pin Oak 10 " " " S 39° W 19 " "

52.83 alprag Ark 50 " "

60.18 a Poplar 65 in. dia.

73.53 a W. Elm 30 " "

79.30 a Poplar 70 " "

80.00 set temp. Township corner post

Land rich level 2^d State. Timber Beech, Ash,

T. 24 N., R. 1 E. 2. Mer. Ind.?

Chr. Skt.

Elm, Sugar, Hickory, Walnut & Ulp. Spice,
 Prickly Ash, Pawpaw, Grapewines &
 On the S.E. q. of Sec. 1, T. 24 N., R. 1 E. and S.W.
 q. of Sec. 6, T. 24 N., R. 2 E. is a fine mill seat.
 August 21. 1838 Ar. S. C. Vance
 Deputy Surveyor.

North Boundary, Var. 5. 45' E.

Cut on the S. Boundary of Sec. 31, T. 25 N., R. 1 E

17.58 a Branch 30 lbs. wide course NW

32.50 a W. Oak 30 in. dia.

40.00 cut of sec. part from which

a Ash 12 in. dia. bears N 60 E 34 lbs. dist. 2

a Elm 16 " " " S 58 E 30 " "

73.00 a Beech 24 " "

80.00 cut part cor. of sec. 31 & 32 from which

a Beech 15 in. dia. bears N 81 W 13 lbs. dist. 2

a Buckeye 6 " " " S 58 E 20 " "

This mile wet & swampy. Timber Oak, Ash &

Cut on the S. Boundary of Sec. 32, T. 25 N., R. 1 E

11.57 a Stream 60 lbs. wide course NW

12.07 Do 60 " " " SW

40.00 cut of sec. part from which

a Beech 20 in. dia. bears S 29 W 42 lbs. dist. 2

a Sugar 24 " " " N 68 E 19 " "

54.39 a W. Oak 24 " "

80.00 cut part cor. of sec. 32 & 33 from which

a Beech 14 in. dia. bears N 28 W 22 lbs. dist. 2

a Do 30 " " " S 44 E 30 " "

This mile timber Beech, Oak, Sugar &
 Ulp. Spice

Cut on the S. Boundary of Sec. 33, T. 25 N., R. 1 E.

18.13 a Sugar 30 in. dia.

40.00 cut of sec. part from which

T. 24 N., R. 1 E. 2^d Mer. Ind.

Ch. 1st

a Beech 15 in. diam. bears N 31 W 24 lbs. dist. 8

a Do 14 " " " S 37 E 32 " "

66.21 a Beech 20 " "

80.00 Set post cor. of sec. 33 & 34 from which

a Sugar 14 in. diam. bears N 83 E 28 lbs. dist. 8

a Beech 18 " " " N 85 W 48 " "

This mile level. Timber Beech, Oak, Sugar.
Upr. Spice &c.

East on the S. Boundary of Sec. 34, T 25 N, R 1 E.

28.72 an Ash 30 in. diam.

40.00 Set of sec. post from which

a Beech 10 in. diam. bears N 25 W 20 lbs. dist. 8

a Do 18 " " " S 22 E 25 " "

68.22 a Beech 24 " "

80.00 Set post cor. of sec. 34 & 35 from which

a Maple 36 in. diam. bears N 53 E 32 lbs. dist. 8

a Do 24 " " " N 40 W 32 " "

This mile level, timber Beech, Sugar, Oak,
Upr. Spice.

East on the S. Boundary of Sec. 35, T 25 N, R 1 E.

20.00 an Ash 20 in. diam.

40.00 Set of sec. post from which

a Beech 12 in. diam. bears N 24 E 25 lbs. dist. 8

an Ash 30 " " " S 57 W 31 " "

59.70 a Do 34 " "

72.84 Intersect W. Boundary of Miami Reservation,
Set post from which

a Beech 12 in. diam. bears S 24 W 20 lbs. dist. 8

a Sugar 10 " " " N 28 W 24 " "

Thin land. Beech, Oak, Sugar, Ash &c.
Upr. Spice. May 28. 1820.Henry Bryan
Dep. Surveyor.

T. 24 N., R. 1 E. 2^d Mer. Ind. aCh. 2^dEast on Random from post in Indian Boundary cor. of
sec. 35 & 36 from which

a Beech 20 in. dia. bears S 27 E 45 lbs. dist. 2

a Cherry 2 " " " N 59 E 15 " "

3.67 a Gray Ash 36 in. dia.

25.06 a Sugar 12 in. dia.

38.20 a W. Elm 22 " "

52.76 a Do 34 " "

76.00 Intersect line between Ranges 1 & 2 E. 56 lbs. N. of temp.
post - where set post cor. of T. 24 & 25 N., R. 1 & 2 E.
from which

a Hickory 10 in. dia. bears S 44 E 33 lbs. dist. 3

a Beech 13 " " " N 27 W 35 " "

Land level 2^d rate, timber Beech, Ash, Elm, Sycam,
Sugar, Oak & Upr. Spice, Alder &c.

West Corrected S. Boundary of Sec. 36, T. 25 N., R. 1 E.

23.24 a W. Elm 34 in. dia.

37.80 a Do 22 " "

40.00 set q. sec. post from which

a Beech 8 in. dia. bears N 19 E 20 lbs. dist. 3

a Do 10 " " " N 66 W 21 " "

50.94 a Sugar 12 " "

72.33 a Gray Ash 36 in. dia.

76.00 to sec. corner. August 22. 1838.

Ar. J. C. Vance, D. S.

Second Principal Meridian, on
West Boundary. Var. 5° 45' E.

North on the E. Boundary of Sec. 36, T. 24 N., R. 1 W.

November 20. 1819

37.50 a Creek 125 lbs. wide course NW

40.00 set q. sec. post from which

a Sycamore 10 in. dia. bears S 15 E 16 lbs. dist. 3

a Willow 9 " " " N 22 W 11 " "

80.00 set post cor. of sec. 25 & 36 from which

T. 24 N., R. 1 E. 2.^d Mer. Ind.^a

C.W. 100?

a Sugar 12 in. dia. bears S 66 E 15 Ws. dist. 8
 a Do 27 " " " N 80 W 16 " "
 Land rich, nearly T.^h rate. Oak, Beech, Sugar,
 Walnut, Ash, Hickory & good farming land.

North on the E. Boundary of Sec. 25, T. 24 N., R. 1 W.

10.00 a Brook 6 Ws. wide course S E

40.00 set q. sec. post from which

a W. Ash 27 in. dia. bears N 55 E 9 Ws. dist. 8

a Beech 14 " " " N 31 W 6 " "

80.00 set post cor. of sec. 24 & 25 from which

a Hickory 10 in. dia. bears N 49 E 7 Ws. dist. 8

an Elm 30 " " " S 67 W 34 " "

South half mile similar, T. rate, North half
 mile level, part wet & swampy

North on the E. Boundary of Sec. 24, T. 24 N., R. 1 W

40.00 set q. sec. post from which

a Beech 9 in. dia. bears S 8 E 30 Ws. dist. 8

a Do 12 " " " N 26 E 26 " "

80.00 set post cor. of sec. 13 & 24 from which

a Buckeye 12 in. dia. bears N 44 E 13 Ws. dist. 8

a Beech 9 " " " S 40 W 13 " "

Land level. rich & good for farming. Beech,
 Sugar, Oak, Ash, Walnut, Lym, Elm, Poplar &c.

North on the E. Boundary of Sec. 13, T. 24 N., R. 1 W

30.00 a Brook 15 Ws. wide course W

40.00 set q. sec. post from which

a Beech 12 in. dia. bears S 89 E 20 Ws. dist. 8

a Do 10 " " " N 59 W 3 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 18 in. dia. bears S 84 E 27 Ws. dist. 8

a Do 12 " " " N 87 W 16 " "

Land same

T. 24 N., R. 1 E. T. Mer. Ind.

Chs. 1st.

North on the E. Boundary of Sec. 12, T. 24 N., R. 1 W.

40.00 set of sec. port from which

a Beech 12 in. dia. bears N 60° W 23 lbs. dist. 8

an Iron P. 8 " " " S 32° W 9 " "

80.00 set port cor. of sec. 1 & 12 from which

a Poplar 20 in. dia. bears S 37° E 24 lbs. dist. 8

a Do 12 " " " N 65° E 23 " "

Land level & 2^d rate, part wet, middling good
farming land.

North on the E. Boundary of Sec. 1, T. 24 N., R. 1 W.

40.00 set of sec. port from which

a Beech 12 in. dia. bears S 54° E 35 lbs. dist. 8

a Do 27 " " " West 23 " "

44.00 enter Swamp

60.00 passed "

78.00 enter "

80.00 set port cor. of T. 24 & 25 N., R. 1 E & 1 W. from
which a B. Ash 9 in. dia. bears S 35° W 58 lbs. dist. 8

an Elm 14 " " " N 67° W 26 " "

North half mile rather poor, South half
similar to last mile.

William Harris, Dep. Sur.

Subdivision, Var. 5° 45' E.

North between Sec. 31 & 32 May 25, 1821

17.34 a W. Walnut 24 in. dia.

40.00 set of sec. port from which

a Locust 10 in. dia. bears N 32° W 30 lbs. dist. 8

a Beech 30 " " " S 20° E 26 " "

72.63 a Hackberry 30 " "

80.00 set port cor. of sec. 29, 30, 31 & 32 from which

a Maple 20 in. dia. bears S 67° W 10 lbs. dist. 8

a Yucca 26 " " " S 55° E 20 " "

First half mile rich, 2^d half swampy.

Timber Oak, Beech, Walnut & Ulp. Spice

T. 24 N., R. 1 E. 2. Mer. Ind. ^a

Chs. LK.

West on Random between Sec. 30 & 31

3.17 a Stream 100 yds. wide course SE

40.00 set temp. g. sec. post

80.00 Intersect W. Boundary at post—

Over rolling land. Timber W. Oak, Sugar,
Beech & Upr. Spice

East Corrected between Sec. 30 & 31

40.00 set g. sec. post at aver. dint. from which
a Sugar 15 in. dia. bears S 20 E 16 yds. dint. &
a Do 20 " " " N 15 W 27 " "

80.00 to sec. cor.

North between Sec. 29 & 30

3.70 a Stream 100 yds. wide course S 72 W

21.95 an Ash 20 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears N 83 E 9 yds. dint. &
a Do 15 " " " N 76 W 39 " "

45.80 an Elm 30 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which
an Elm 18 in. dia. bears S 80 W 22 yds. dint. &
a Do 12 " " " S 80 E 20 " "First half mile broken, 2nd half level, timber
Walnut, Beech, Sugar, Upr. Spice

West on Random between Sec. 19 & 30

40.00 set temp. g. sec. post

79.90 Intersect W. Boundary at post—
Level land and swampy.

East Corrected between Sec. 19 & 30

39.95 set g. sec. post at aver. dint. from which
an Ironwood 8 in. dia. bears S 45 W 10 yds. dint. &
a Beech 14 " " " N 63 E 30 " "

79.90 to sec. cor.

T. 24 N., R. 1 E. 2. Mer. Ind.

Eps. 20.

North between Sec. 19 & 20

28.40 a Beech 30 in. dia.

40.00 set g. sec. post from which

a Gum Cin. dis bears S 64° W 9 krs. dist. S

a Sycamore 30 " " " S 7° E 29 " "

49.36 a Beech 18 " "

53.25 a Branch 25 krs. wide course NW

57.00 a Do 24 " " " NW

80.00 set post cor. of sec. 19, 20, 17 & 18 from which

an Ironwood Cin. dis bears S 61° E 18 krs. dist. S

a Beech 15 " " " S 61° W 33 " "

Wet swampy land. Timber Beech, Ash &c.

Brushy. May 20, 1821

West in Raudum between Sec. 18 & 19

40.00 set temp. g. sec. post

55.21 a Stream 25 krs. wide course NW

79.86 Intersect W. Boundary 14 krs. S. of post

Level land, timber Beech, Walnut, Wpr. Spice &c.

East Connected between Sec. 18 & 19

39.93 set g. sec. post at aver. dist. from which

an Elm 20 in. dia. bears N 32° W 13 krs. dist. S

a Hickory 15 " " " S 82° W 14 " "

79.86 to sec. cor.

North between Sec. 17 & 18

2.37 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a B. Oak 30 in. dia. bears S 25° E 12 krs. dist. S

an Ironwood 10 " " " S 21° W 20 " "

51.84 a Beech 18 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 10 in. dia. bears S 80° W 8 krs. dist. S

a Do 18 " " " S 40° E 31 " "

This mile swampy and brushy.

T. 24 N., R. 1 E., S. 2 Mer. Ind.

Chs. 81

West on Random between Sec. 7 & 18

40.00 set temp. gr. sec. post

80.25 Intersect W. Boundary at post—

This mile level, timber Beech, Poplar, Walnut,
Upr. Spice

East Corrected between Sec. 7 & 18

40.12½ set gr. sec. post at aver. dist. from which

a B. Oak 30 in. dia. bears S 22° W 34 lks. dist. &

a Maple 10 " " " N 58° E 22 " "

80.25 to sec. cor.

North between Sec. 7 & 8

10.81 a Poplar 12 in. dia.

40.00 set gr. sec. post from which

a Swamp Ash 20 in. dia. bears N 85° E 12 lks. dist.

a Beech 10 " " " N 48° W 12 " "

54.90 a Hickory 18 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 20 in. dia. bears S 72° W 14 lks. dist. &

a Sugar 24 " " " S 32° E 25 " "

Level land, timber Beech, Oak, Poplar.
Upr. Spice &c.

West on Random between Sec. 6 & 7

40.00 set temp. gr. sec. post

80.25 Intersect W. Boundary at post—

This mile rich level, timber Beech, Oak,
Poplar. Upr. Spice

East Corrected between Sec. 6 & 7

40.12½ set gr. sec. post at aver. dist. from which

a Beech 24 in. dia. bears N 22° W 32 lks. dist. &

a Do 10 " " " S 62° W 6 " "

80.25 to sec. cor.

T. 24 N., R. 1 E. 2. Mer. Ind.
Ch. 10?

North between Sec. 5 & 6

4.68 a Branch 38 ^{1/2} m. wide course NW

7.34 an Ash 30 in. dia.

40.00 set gr. sec. post from which

a Beech 16 in. dia. bears N 14 E 12 ^{1/2} m. dist. &

a B. Oak 14 " " " S 35 E 25 " "

58.15 a Sugar 30 " "

80.00 Intersect N. Boundary 50 ^{1/2} m. E. of post -

set post at intersection cr. of sec. 5 & 6 from which

a Beech 15 in. dia. bears S 16 W 6 ^{1/2} m. dist. &

a Do 12 " " " N 50 W 19 " "

This mile level. Timber Beech, Oak, Sugar,

Upr. Spice &c. May 27, 1821

North between Sec. 32 & 33

2.00 a Walnut 30 in. dia.

40.00 set gr. sec. post from which

a Poplar 42 in. dia. bears N 51 E 5 ^{1/2} m. dist. &

a Beech 18 " " " S 47 W 45 " "

80.00 set post cr. of sec. 28, 29, 32 & 33 from which

a Buckeye 16 in. dia. bears N 43 E 23 ^{1/2} m. dist. &

a Do 12 " " " N 50 W 28 " "

This mile first rate. Timber Poplar, Sugar,
Beech, Walnut. Upr. Spice &c.

West on Random between Sec. 29 & 32

33.00 a Stream 200 ^{1/2} m. wide course SW

40.00 set temp. gr. sec. post

62.00 a Stream course W. run in the centre 10 Ch.?

72.00 same stream 350 ^{1/2} m. wide course NW

80.00 Intersect N. & S. line 25 ^{1/2} m. N. of post -
Broken land.

East Connected between Sec. 29 & 32

40.00 set gr. sec. post at aver. dist. from which

a W. Oak 12 in. dia. bears S 73 E 24 ^{1/2} m. dist. &

T. 24 N., R. 1 E. 2. Mer. Ind.^a

Chs. 1st.

a Boxelder 12 in. dia. bears S 60° W 19 Ws. dist.
80.00 to sec. cor.

North between Secs. 28 & 29

2.87 a Stream 150 Ws. wide course W.

8.82 an Elm 20 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 33° W 12 Ws. dist. 8

a Dr 8 " " " S 48° E 23 " "

55.26 a W. Oak 30 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

an Elm 30 in. dia. bears S 41° W 43 Ws. dist. 8

a Beech 18 " " " N 55° E 11 " "

First half mile broken, 2. half level.

Timber Beech, Sugar, Oak. Wgs. Spice

West on Random between Secs. 20 & 29

40.00 set temp. gr. sec. post

79.88 Intersect N & S. line 15 Ws. N. of post -

First half mile level, 2. half swampy

East Corrected between Secs. 20 & 29

39.94 set gr. sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 81° W 24 Ws. dist. 8

a Dr 24 " " " S 87° E 40 " "

79.88 to sec. cor. May 29, 1821

North between Secs. 20 & 21

17.41 a Sugar 24 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 31° W 7 Ws. dist. 8

a W. Oak 36 " " " S 53° E 32 " "

62.40 a W. Oak 20 " "

80.00 a Beech 12 " " corner tree for sec. 16, 17 & 20

21. Level land. Timber Beech, Sugar
& Wgs. Spice &c.

T. 24 N., R. 1 E. 2^d Mer. Ind.

Chs. SW.

West on Random between Sec. 17 & 20

40.00 set temp. gr. sec. post

80.00 Intersect N. & S. line at post

Over level land, timber Beech, Sugar, Oak &
Upr. Spice

East Corrected between Sec. 17 & 20

40.00 set gr. sec. post at aver. dist. from which
a Beech 20 in. dia. bears N 22° W 14 lks. dist. S
a Do 18 " " " S 78° W 28 " "

80.00 to sec. cor.

North between Sec. 16 & 17

16.40 a Beech 12 in. dia.

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears S 12° E 24 lks. dist. S
a B. Oak 20 " " " S 33° W 20 " "

52.07 a Beech 27 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 a Beech 20 in. dia.
This mile level, timber Beech, Sugar,
Poplar, Upr. Spice &

West on Random between Sec. 8 & 17

40.00 set temp. gr. sec. post

79.94 Intersect N. & S. line 20 lks. N. of post

This mile wet land, brushy &

East Corrected between Sec. 8 & 17

39.97 set gr. sec. post at aver. dist. from which

an Elm 14 in. dia. bears S 32° E 39 lks. dist. S
a Pop. Ash 10 " " " N 22° W 7 " "

79.94 to sec. cor.

North between Sec. 8 & 9

19.00 a Beech 16 in. dia.

40.00 set gr. sec. post from which

S. 24 N., R. 1 E. 2.^o Mer. Ind.

Ch. J. K.

a Beech Hill in. di. means G 42 W 10 lbs. dirt &c

a No 104 3 3 5018 21 3 3

49.96 an Ash 42 5

04.50 a Branch 12 lks. wide centre NW

80.00 lot part Cor. of sec. 4, 5, 8 & 9 from which
an Ironwood 8 in. dia bears N12W80E. dist.

La Beech 124 " " S349R30 "

This mile level. Timber Beech, Oak, Pop-
lar. Upr. Spruce

West on Random between Sec. 5 & 8

440.00 at temp. of sec. print

70.15 a Branch 15' ¹/₂ wide curve NW

80.00 Interest N.Y. line 32 Ws. N. of port—

This mile level, timber Beech, Oak, Ash
Wyr. Spice &c.

East Corrected between Sec. 5 & 8

40.00 set of g. sec. put at aver. dist. from which

u. Replat 18 in. dieu beas N 50 W 10 N. dnt. 8

a Beech 16 " " " N55 E 25 " "

80.00 to Sec. Con.

North between Sec. 4 & 5

0.21 a Sugar Win. dis.

40.00 at g. Sec. part from which

an Elm 42 in. dia bears N11W26 W. d. int.

u Lynu 30 4 5 5 955030 5 5

54.12 a Poplar 48 s s

01.58 a Stream 60 krs. wide course NW

80.30 Intersect N. Boundary 50 Wks. E. of post—

Set post at intersection Cor. of Sec. 4 & 5 from which

at Buckeye 12 mi. dis. from 5469710 hrs. dist. 2

at Hackberry 10 " " " 941 E 31 " "

This mile rich. Linden Beech, Walnut,
Poplar. Upr. Spruce. May 30. 1821

T. 24 N., R. 1 E. 2. Mer. Ind.

C.W. Sh.

North between Sec. 33 & 34

10.28 a Poplar 48 in. dia.

40.00 set of sec. post from which

a Sugar 15 in. dia. bears S 32° W 17 lks., dist. 3

a Poplar 20 " " " N 56° E 28 " "

61.32 an Elm 18 " "

66.29 a Stream 125 lks. wide course SW

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

an Ironwood 10 in. dia. bears N 51° E 19 lks., dist. 3

an Ash 24 " " " S 45° E 12 " "

First half mile level, last half broken.

Timber Beech, Oak, Poplar, Wg. Spruce

West in Random between Sec. 28 & 33

10.79 a Stream 200 lks. wide course N 35° W

40.00 set temp. of sec. post

66.78 a Stream 200 lks. wide course SW

76.70 a Do 125 " " " N

80.00 Intersect N. S. line at post -

Over broken Bottom land.

East Corrected between Sec. 28 & 33

40.00 set of sec. post at aver. dist. from which

a Buckeye 10 in. dia. bears S 31° W 24 lks. dist. 3

a Do 14 " " " N 59° W 2 " "

80.00 to sec. cor.

North between Sec. 27 & 28

17.50 a Walnut 30 in. dia.

40.00 set of sec. post from which

a Beech 16 in. dia. bears N 19° W 37 lks. dist. 3

a Do 18 " " " N 15° E 26 " "

54.39 a Beech 20 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Beech 10 in. dia. bears S 19° E 13 lks. dist. 3

a Sugar 30 " " " N 28° W 11 " "

T. 24 N., R. 1 E. 2. Mer. Ind.

Chs. & W.

This mile level, timber Beech, Oak, Poplar,
Uly. Spice

West on Random between Sec. 21 & 28

40.00 set temp. gr. sec. post

80.00 Intersect N & S. line 25 Wks. N. of post -

This mile level, timber Beech, Oak &
Uly. Spice &c.

East Corrected between Sec. 21 & 28

40.00 set gr. sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 20° W 11 Wks. dist. &

a Do 16 " " " N 59° E 24 " "

80.00 to sec. cor. May 31. 1821

North between Sec. 21 & 22

13.19 a Poplar 12 in. dia.

40.00 set gr. sec. post from which

an Elm 20 in. dia. bears S 58° W 25 Wks. dist.

a Hickory 20 " " " S 86° E 29 " "

56.44 a Hickory 20 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Maple 30 in. dia. bears N 10° W 11 Wks. dist. &

an Elm 20 " " " S 27° E 17 " "

(Description of land omitted)

West on Random between Sec. 16 & 21

40.00 set temp. gr. sec. post

80.00 Intersect N & S. line 20 Wks. N. of post -

Over level land, timber Beech, Oak, Sugar
Uly. Spice &c.

East Corrected between Sec. 16 & 21

40.00 set gr. sec. post at aver. dist. from which

a Beech 18 in. dia. bears N 28° E 26 Wks. dist. &

a Do 18 " " " S 4° E 27 " "

T. H. N., R. 1 E. 2. Mer. Ind.

Chas. H.

80.00 to sec. cor.

North between Sec. 15 & 16

8.00 a Poplar 12 in. dia.

40.00 set gr. sec. post from which

a Maple 8 in. dia. bears S 38° W 21 W. dist. 8

a Do 15 " " " N 6° W 50 " "

55.11 a W. Oak 24 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Beech 15 in. dia. bears S 41° E 31 W. dist. 8

a Do 24 " " " S 65° W 20 " "

This mile swampy.

West on Random between Sec. 9 & 16

40.00 set temp. gr. sec. post

80.00 Intersect N & S. line at post—

This mile level. Timber Beech, Oak, Poplar
W. Spruce

East Connected between Sec. 9 & 16

40.00 set gr. sec. post at aver. dist. from which

a Beech 13 in. dia. bears N 1° W 16 W. dist. 8

a Do 14 " " " S 71° W 25 " "

80.00 to sec. cor.

North between Sec. 9 & 10

9.28 a Sugar 24 in. dia.

40.00 set gr. sec. post from which

a Beech 24 in. dia. bears S 37° W 17 W. dist. 8

a Buckeye 10 " " " N 74° E 18 " "

49.50 a W. Oak 30 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Beech 24 in. dia. bears N 66° E 5 W. dist. 8

a Sugar 26 " " " N 71° W 26 " "

This mile 2nd rate. Beech, Sugar & Spruce

T. 24 N., R. 1 E. 2^d Mer. Ind.Chap. 1st

West on Random between Sec. 4 & 9

40.00 set temp. gr. sec. post

79.75 Intersect N & S. line 36 Ws. S. of post -

This mile swampy, brushy &c.

East Corrected between Sec. 4 & 9

39.87½ set gr. sec. post at aver. dist. from which
a Hickory 6 in. dia. bears S 56° W 14 Ws. dist. 8
an Ash 6 " " " N 24° W 17 " "

79.75 to sec. cor. June 1. 1821

North between Sec. 3 & 4

15.82 an Elm 24 in. dia.

40.00 set gr. sec. post from which

a Beech 20 in. dia. bears N 72° W 12 Ws. dist. 8

a Do 15 " " " S 52° E 45 " "

45.52 a Beech 26 " "

54.12 a Stream 60 Ws. wide course NW

69.13 a Walnut 40 in. dia.

80.35 Intersect N. Boundary 41 Ws. E. of post -

set post at intersection cor. of sec. 3 & 4 from which

a Beech 18 in. dia. bears S 24° W 28 Ws. dist. 8

a Do 10 " " " S 58° E 20 " "

This mile good land. Timber Walnut, Beech,
Sugar. Spruce

North between Sec. 34 & 35

9.65 a Hickory 24 in. dia.

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears S 74° W 9 Ws. dist. 8

an Ironw. 10 " " " S 86° E 22 " "

61.50 a Poplar 20 " "

72.50 a Stream 150 Ws. wide course SW

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a W. Oak 42 in. dia. bears S 34° W 34 Ws. dist. 8

a Buckeye 8 " " " N 37° E 20 " "

Completed.

T. 24 N., R. 1 E. 2. Mer. Ind. a.

Ch. 1st.

First half mile level, 2. half broken. Timber
Beech, Oak, Poplar. Ugr. Spice &c.

West in Random between Sec. 27 & 34

40.00 set temp. gr. sec. post

80.00 Intersect N & S. line at post—

First half mile Bottom & swampy, 2. half
level, rich soil. Timber Beech, Oak, Poplar
Ugr. Spice

East Connected between Sec. 27 & 34

40.00 set gr. sec. post at aver. dist. from which
a Beech 16 in. dia. bears S 53° W 35 Yds. dist. 8
a Do 30 " " " N 30° W 11 " "

80.00 to sec. cor.

East between Sec. 26 & 35

40.00 set gr. sec. post from which
a Beech 10 in. dia. bears N 46° E 10 Yds. dist. 8
a Do 10 " " " S 20° W 27 " "

72.00 Intersect W. Boundary of Miami Reserve
set post from which

a Beech 12 in. dia. bears N 56° W 7 Yds. dist. 8
a B. Walnut 10 " " " S 35° W 24 " "

Land level. Timber Beech, Oak, Sugar &c.
Ugr. Spice June 2, 1821

North between Sec. 26 & 27

20.00 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a Beech 8 in. dia. bears N 60° W 3 Yds. dist. 8
a Walnut 30 " " " S 5° E 25 " "

63.00 a Sugar 20 " "

80.00 set post ca. of sec. 22, 23, 26 & 27 from which

a Sugar 14 in. dia. bears S 84° W 11 Yds. dist. 8
a Beech 16 " " " S 71° E 37 " "

T. 24 N., R. 1 E. 2.^d Mer. Ind.^a

Chs. 2k.

First half mile broken, 2.^d half level, Timber
Beech, Oak, Walnut. Upr. Spice &c.

West on Random between Sec. 22 & 27

40.00 set temp. of sec. part

79.80 Intersect N & S. line 40 Upr. N. of port -

This mile swampy. Timber Beech &c. Upr.
Spice Brushy

East Corrected between Sec. 22 & 27

39.90 set of sec. part at aver. dist. from which
a Beech 16 in. diam. bears S 32° W 14 Upr. dist. &
a Sugar 12 " " " N 45° E 24 " "

79.80 to sec. cor.

East between Sec. 23 & 26

40.00 set of sec. part from which

a Beech 14 in. diam. bears N 37° E 15 Upr. dist. &

a Do 15 " " " S 52° W 33 " "

72.49 Intersect W. Boundary of Miami Reservation
set part from which

a Beech 16 in. diam. bears N 50° W 8 Upr. dist. &

a Sugar 10 " " " S 52° W 53 " "

Land level, brushy &c. timber Beech, Sugar &c.

North between Sec. 22 & 23

13.36 a Poplar 24 in. diam.

40.00 set of sec. part from which

an Elm 30 in. diam. bears N 18° W 18 Upr. dist. &

a W. Oak 10 " " " S 58° E 32 " "

56.01 a Beech 30 " "

80.00 set part cor. of sec. 14, 15, 22 & 23 from which

a Beech 14 in. diam. bears N 46° W 25 Upr. dist. &

a Do 10 " " " S 14° W 8 " "

This mile level. Timber Beech, Oak, Ash
Upr. Spice

T. 24 N., R. 1 E. 2. Mer. Ind. a.

Chs. 1st

West on Random between Sec. 15 & 22

40.00 set temp. gr. sec. post

80.00 Intersect N. S. line 25 Ws. N. of post -
This mile level. Timber Beech, Oak &
Upr. Spice &

East Connected between Sec. 15 & 22

40.00 set gr. sec. post at aver. dist. from which
a Beech 18 in. dia. bears N 78° W 18 Ws. dist. 8
a Do 10 " " " S 21° E 11 " "
80.00 to sec. cor.

East between Sec. 14 & 23

21.14 a Beech 24 in. dia.

40.00 set gr. sec. post from which
a Beech 20 in. dia. bears S 53° E 7 Ws. dist. 8
a Do 10 " " " N 18° W 18 " "72.29 Intersect W. Boundary of Miami Reserve,
set post from whicha Beech 10 in. dia. bears N 82° W 33 Ws. dist.
a Do 15 " " " S 35° W 32 " "
(Description of land omitted) June 3, 1821

North between Sec. 14 & 15

14.19 a Poplar 20 in. dia.

40.00 set gr. sec. post from which
a Beech 12 in. dia. bears N 30° E 36 Ws. dist.
a Do 15 " " " S 64° W 50 " "

51.00 a Beech 15 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
a Beech 10 in. dia. bears S 77° W 24 Ws. dist. 8
a Do 15 " " " S 59° E 37 " "
This mile level, timber Beech, Hickory,
Oak, Ash & Upr. Spice

West on Random between Sec. 10 & 15

T. 24 N., R. 1 E., 2^d. Mer. Ind.Ch. 1st.

40.00 set temp. gr. sec. post

80.07 Intersect N & S. line 30 Ws. N. of post -
Level land, timber Beech, Oak & Spice

East Connected between Sec. 10 & 15

40.03 1/2 set gr. sec. post at aver. dist. from which
a Beech 12 in. dia. bears N 11 W 18 Ws. dist. &
a Sugar 12 " " " S 57 E 17 " "

80.07 to sec. cor.

East between Sec. 11 & 14

21.79 a Sugar 30 in. dia.

40.00 set gr. sec. post from which
a Beech 12 in. dia. bears S 22 W 12 Ws. dist. &
an Ironwood 10 " " " N 41 W 52 " "72.28 Intersect W. Boundary of Miami Reservation
set post from which

a Hickory 12 in. dia. bears N 65 W 13 Ws. dist. &

a Sugar 24 " " " S 44 W 20 " "

Land level, timber Beech, Oak & Spice

North between Sec. 10 & 11

18.34 a B. Oak 24 in. dia.

40.00 set gr. sec. post from which
a Gum 30 in. dia. bears S 42 W 72 Ws. dist. &
a Beech 20 " " " S 43 E 14 " "

72.00 a W. Oak 30 " "

80.00 set post cor. of Sec. 2, 3, 10 & 11 from which
a Beech 14 in. dia. bears N 20 E 27 Ws. dist. &
a Walnut 26 " " " S 16 W 34 " "This mile level, Timber Beech, Oak & W. Spr.
Spice Brushy &

West in Random between Sec. 3 & 10

40.00 set temp. gr. sec. post

79.79 Intersect N & S. line 25 Ws. N. of post

T. 24 N., R. 1 E. 2^d. Mer. Ind^a.

269

Chs. 2nd.

This mile swampy and brushy

East Cornered between Secs. 3 & 10

39.89¹/₂ set of sec. post at aver. dist. from which
a Beech 8 in. dia. bears N 37° W 23¹/₂ Mts. dist. 3
a Do 15 " " " S 20° W 32 " "
79.79 to sec. cor. June 4, 1821

East between Secs. 2 & 11

21.32 an Elm 24 in. dia.
40.00 set of sec. post from which
a W. Oak 30 in. dia. bears N 70° E 16 Mts. dist. 3
a Hickory 24 " " " S 13° E 33 " "
58.10 a Poplar 24 " "
73.10 Intersect N. Boundary of Miami Reservation
set post from which
a W. Oak 30 in. dia. bears N 47° W 35 Mts. dist. 3
a Beech 10 " " " S 33° W 40 " "
Land level. Timber Beech, Sugar, Oak &c.

North between Secs. 2 & 3

21.30 a B. Oak 30 in. dia.
40.00 set of sec. post from which
a Beech 24 in. dia. bears N 38° E 14 Mts. dist. 3
a Do 12 " " " S 58° W 47 " "
50.23 an Elm 30 " "
52.06 a Stream 50 Mts. wide course W
80.00 Intersect N. Boundary 25 Mts. E. of post -
set post at intersection cor. of Secs. 2 & 3 from which
a Beech 20 in. dia. bears S 82° W 68 Mts. dist. 3
a W. Oak 20 " " " S 27° E 57 " "
This mile level, timber Poplar, Beech, Oak
&c. Wyls. Spice June 5, 1821

Henry Bryan
Deputy Surveyor.

T. 24 N., R. 1 E. 2. Mer. Ind^a.

Chas. Geo.

Commenced subdividing fractional Township N. 24 N., R. 1 E. 2. P. Meridian, in the State of Indiana on the 17th, and completed said subdivision on the 21st day of August 1838.

Went on Random between Sec. 25 & 36

3.75 enter Creek 25 hrs. wide course SW

4.20 leave same

14.25 enter N. bend of same

15.00 leave same

16.40 enter N. bend of same

17.65 leave same

33.85 Indian trail, S.

36.50 enter Willow Swamp, S

42.75 leave same

56.50 enter N. fork of Wildcat Creek 100 hrs. wide course NW

58.50 leave same

78.92 Intersect 90 hrs. S. of post -

Gently rolling T. 24 N. land, part rich Bottom
 Limber Elm, Ash, Walnut & Upr. Pickly
 Ash, Grape vines, Pawpaw &c.

98.20. E. Corrected between Sec. 25 & 36

Bearings for post in old Indian Boundary
 a Buckeye 7 in. diameter S 23 E 15 hrs. dist. 8

a Do 6 " " " N 56 E 38 " "

1.59 a Buckeye 8 " "

22.95 a W. Elm 36 " "

38.92 set q. sec. post from which

a Willow 3 in. diameter N 74 E 5 hrs. dist. 8

a Do 2 " " " S 74 W 2 " "

60.31 a Buckeye 14 in. dia.

78.92 to sec. cor. August 17. 1838

Went on Random between Sec. 24 & 25

T. 24 N., R. 1 E. 2. Mer. Ind. a.

Chs. Chs.

75.50 over Branch 600 ft. wide course S.

78.50 Intersect 1000 ft. S. of point—

Land gently rising E. rate, Timber Beech,
Sugar, Ash, Poplar, Elm, Lymbs, Upr. Spice,
Sugar &c.

East Corrected between Sec. 24 & 25

Bearings for point in old Indian Boundary

a Sugar 14 in. dia. bears N 44 E 30 Mer. dist. 8

a Do 10 " " " S 37 E 17 " "

8.38 a Cherry 5 " "

10.71 a Sugar 10 " "

19.84 a Beech 10 " "

38.50 set of sec. point from which

a Beech 12 in. dia. bears S 47 W 10 Mer. dist. 2

a Do 22 " " " N 56 E 29 " "

41.84 a W. Elm 5 " "

59.55 a W. Oak 60 " "

78.50 to sec. cor.

West on Random between Sec. 13 & 24

2.75 enter Swamp, SW

5.50 leave "

43.50 enter " SW

47.50 leave "

78.02 Intersect 3000 ft. S. of point—

Level rich E. rate land. Timber Beech, Ash,
Elm, Poplar &c. Upr. Spice, Pawpaw &c.

89.456. Corrected between Sec. 13 & 24

Bearings for cor. in old Indian Boundary

a Poplar 40 in. dia. bears S 60 E 16 Mer. dist. 8

a Beech 10 " " " N 18 E 17 " "

0.93 a Swamp Ash 4 in. dia.

6.10 a Poplar 8 in. dia.

21.20 a Beech 17 " "

T. 24 N., R. 1 E. 2^d. Mer. Ind.^aW. 8th.

38.02 set of sec. post from which
 a Beech 10 in. dia. bears S 53° W 6th M^{rs}. dist. 2
 a Do 30 " " " N 75° E 43rd " "
 50.10 a Lynn 4 " "
 60.41 a Do 8 " "
 78.02 to sec. cor.

West on Random between Sec. 12 & 13

16.00 enter Swamp, SW

22.50 leave "

76.88 Intersect 40 M^{rs}. S. of post -

Level rich Prate land. Timber Elm, Ash,
 Hickory, Sugar, Walnut, Buckeye & Ulp.
 Spice, Pawpaw &c. August 18, 1838

S. 8th 42^d E. Connected between Sec. 12 & 13

Bearings for corner in old Indian Boundary

a Beech 21 in. dia. bears N 45° E 27th M^{rs}. dist. 2

a Bur Oak 14 " " " S 33° E 31 " "

1.00 a Bur Oak 55 in. dia.

21.01 a Beech 8 " "

36.88 set of sec. post from which

a Poplar 24 in. dia. bears N 47° W 16th M^{rs}. dist.

a Beech 10 " " " S 64° E 5 " "

40.08 a Swamp Ash 5 in. dia.

60.68 a W. Oak 26 in. dia.

76.88 to sec. cor.

West on Random between Sec. 12 & 12

67.50 enter Swamp, SW.

75.00 leave "

76.65 Intersect 4 M^{rs}. N. of post -

Gently rolling Prate land, except Willow
 Swamp. Timber Oak, Beech, Ash, Elm,
 Lynn, Sugar & Ulp. Spice, Willow &c.

T. 24 N., R. 1 E. 2^d Mer. Ind.

Cwp. 100.

East Cornered between Sec. 1 & 12

Bearings for corner in old Indian Boundary
an Ironwood 8 in. dia. bears N 32 E 33 lks. dist. &
a W. Oak 30 " " " S 55 E 28 " "

1.95 a R. Elm 7 " "

18.24 a Willow 14 " "

30.65 set of sec. post from which

a Beech 14 in. dia. bears N 27 W 10 lks. dist. &

a Hornbeam 4 " " " S 35 E 24 " "

40.70 a Beech 8 " "

58.44 an Ironwood 5 in. dia.

70.65 to sec. cor. August 21. 1838

General description.

The largest portion of the land in this Township is ^{prate} ~~prate~~, but rich and heavily timbered. Soil from 6 to 8 inches deep. Beech is the prevailing timber, on some lines Sugar predominates.

I hereby certify that in pursuance of a contract with Robert S. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 10th day of May 1838, and in strict conformity to the Laws of the United States and the Instructions of the said Surveyor General, I have surveyed and subdivided into sections fractional Township N. 24 North in Range N. 1 East of the 2^d Principal Meridian in the State of Indiana.

And I do further certify that the foregoing are the true and original field notes of the said survey and subdivision executed as aforesaid.

Certified this 27th day of August 1838

T. 24 N., R. 1 E. 2^d Mer. Ind.

Mr. S. C. Vance

Deputy Surveyor.

Nelson Purdum } Chain carriers
 Wm V. Johnston }
 Saml. S. Young, Marker

I certify that the foregoing transcript
 of field notes of the survey of Township N.^o
 24 North, in Range N.^o 1 East of the 2nd
 Principal Meridian, in the State of Indiana,
 has been compared with the original on file
 in this office, and found to be correct.

Surveyor General's Office,
 Cincinnati, Oct. 19, 1844

William Johnston
 Sur. Genl.